Allcosil 460 FG



Date: 06/2023

1

2

IDENTIFICATION OF SUBSTANCE

1.1 Product Identifier:

- Identification on the label/ Trade name: Allcosil 460 FG
- 1.2 Relevant Identified uses of the substance and uses advised against:

1.2.1 Identified uses:

Food Grade Mould Release Agent.

De-nesting/Slip agent for food packaging industry.

1.2.2 Uses advised against: Not available

1.3 Details of the Supplier of the material safety data sheet:

J. Allcock & Sons Ltd., Textile Street, West Gorton, Manchester, M12 5DL.

Email: ja@allcocks.co.uk Tel: +44 (0)161 223 7181 Fax: + 44 (0)161 223 0173

+44 (0)161 223 7181

1.4 Emergancy Telephone Number:

HAZARDS IDENTIFICATION

2.1 Classification and labelling according to Regulation (EC) 1907/2006 (REACH):

Serious eye damage/eye irritation – Category 1 – (H318)

2.1.1 Classification of the substance or mixture

This product is a mixture and contains: Isotridecanol, branched, ethoxylated

2.2 Label Elements



Signal Word: DANGER

Hazard statements: H318 - Causes serious eye damage

Precautionary statements - EU (§28, 1272/2008)

P280 – Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas P310 - Immediately call a POISON CENTER or doctor

2.3 Other hazards

Not available.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance/Mixture:

The product in question is a mixture.

3.2 In	gredients:				
Chemical name	EC No	CAS No	REACH registration no	Classification according to Regultion (EC) No. 1272/2008 [CLP]	Weight - %
Isotridecanol, branched, ethoxylated	No data available	69011-36-5	No data available	Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) Acute Tox. 4 (H302) Eye Dam. 1 (H318)	1 - 5

4 FIRST-AID MEASURES

4.1 Description of first aid measures:

4.1.1 In case of inhalation:

Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Call a doctor

4.1.2 In case of skin contact:

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.

Page 1 of 5

Allcosil 460 FG



Date: 06/2023

5

Page 2 of 5

4.1.3 In case of eyes contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention/advice.

4.1.4 In case of ingestion

If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest, drink plenty of water afterwards. Do NOT induce vomiting.

4.2 Most important symptoms and effect, both acute and delayed:

Causes serious eye damage

4.3 Indication of any immediate medical attention and special treatment needed:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.

FIRE-FIGHTING MEASURES

5.1 Extinguishing Media:

5.1.1 Suitable extinguishing media:

Alcohol-resistant foam, CO2, powders, water.

5.1.2 Unsuitable extinguishing media:

Do not use water jet. As it may scatter fire.

5.2 Specific Hazards arising from the substance or mixture:

Fire will produce dense black smoke. Thermal decomposition of product can lead to the release of irritating and toxic gases and vapours (Carbon Dioxide (CO2) Carbon Monoxide (CO) Nitrogen Oxides (NOx))

5.3 Advice for fire-fighters:

Appropriate breathing apparatus may be required. Cool closed containers exposed to fire with water. Wear self-contained breathing apparatus and protective suit. Do not release run-off from fire to drains or watercourses.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Exclude sources of ignition and ventilate the area. Avoid breathing vapour or spray. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions:

Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

6.3 Methods of containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.

6.4 Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

HANDLING AND STORAGE

7.1 Precautions for safe handling:

7

Keep container tightly closed. Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see section 8). Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. Keep away from: oxidizing agents, strong alkalis, strong acids. No smoking.

Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Storage temperature: > 5° C

Allcosil 460 FG



Date: 06/2023

Page 3 of 5

7.3 Specific end use(s):

Risk Management Methods (RMM) - the information required is contained in this Safety Data Sheet

8

9

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

8.2 Exposure controls:

Engineering controls: Eyewash stations

Eye/face protection: Tight sealing safety goggles

Hand protection: wear protective gloves. To protect the wearer, gloves must be the correct fit and be used properly. Ensure that the breakthrough time of the glove material is not exceeded. Refer to the glove supplier for information on breakthrough times for specific gloves. Gloves must conform to standard EN374.

Skin and body protection: suitable protective clothing, for gloves see above.

Respiratory protection: None under normal conditions.

Environmental controls: Local authorities should be advised if significant spillages cannot be contained.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:		Off-white silicone emulsion
Physical		Liquid
state: Colour:		White
Odour:		Characteristic
pH:		Not available.
Melting point/range (°C):		Not available.
Boiling point/range (°C):		≥ 100°C
Flash point (°C):		Closed cup: >150°C [THEORETICAL]
Evaporation rate:		Not available.
Flammability (soild,gas):		Not applicable.
Upper/lower flammability/explosive		Not available.
limits: Vapour pressure:	@ 20°C	≤ 23 hPa
Vapour density:		Not available.
Relative Density (gcm ⁻³)	@ 25°C	0.986 g cm ⁻³
Solubility:	0	Soluble in water in any proportion.
Auto-ignition temperature (°C):		Not available.
Decomposition temperature (°C):		Not available.
Viscosity (mm ² s ⁻¹ , cSt):	@ Kinematic (20°C)	>80
9.2 Other information:		

SADT

Not available.

10 STABILITY AND REACTIVITY

10.1 Reactivity:

Not available.

10.2 Chemical stability:

Stable under recommended storage and handling conditions (see section 7)

10.3 Possibility of hazardous reactions:

Not available.

10.4 Conditions to avoid:

When exposed to high temperatures may produce hazardous decomposition products.

Allcosil 460 FG



Date: 06/2023

Page 4 of 5

10.5 Incompatible materials:

Keep away from the following materials to prevent strong exothermic reactions: oxidizing a gents, strong alkalis, and strong acids.

10.6 Hazardous decomposition products:

Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

11 **TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects:

AC	ute	tox	ICIT	<u>v:</u>
2		• • • •		

Chemical name	Oral LD50
Isotridecanol, branched, ethoxylated	1140 mg/kg (Rat)

Skin corrosion/irritation: Not available eye damage/irritation: Serious Not available. Respiratory or skin sensitization: Not available. Germ cell mutagenicity: Not available. Carcinogenicity: Not available. Reproductive toxicity: Not available. STOT- single exposure: Not available. STOT- repeated exposure: Not available. Aspiration hazard: Not available.

12 **ECOLOGICAL INFORMATION**

There is no data available on the preparation itself. Do not allow to enter drains or watercourses. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

12.1 Ecotoxicity: Chemical name	Algae/aquatic plants	Fish	Crustacea	
Isotridecanol, branched, ethoxylated	EC50: approx 5.5mg/l (72h)	LC50: approx. 5.5mg/l (Leuciscus idus 96h DIN 38412-15) NOEC: approx 0.55mg/l	EC50: approx 5.5mg/l (Daphnia magna 48h)	
12.2 Dereistance and degradability:				

Chemical name	Biodegradation
Isotridecanol, branched, ethoxylated (69011-36-5)	Biodegredation: >=90% (OECD 301E modified); Biodegredation: >60% (672h OECD 301B)

12.3 Bioaccumulative potential:

Not available.

12.4 Mobility in soil:

Not available.

12.5 Results of PBT and vPvB assessment

PBT: P: Not available. B: Not available. T: Not available. Vp: Not available. vB: Not available. vPvB:

12.6 Other adverse effects:

AOX: Not available.

Allcosil 460 FG



Date: 06/2023

Page 5 of 5

13 DISPOSAL CONSIDERATIONS

13. 1 Waste treatment methods:

13.1.1 Methods of disposal:

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

13.1.2 European waste catalogue (EWC):

Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. The European Waste Catalogue classification of this product, when disposed of as waste, is: 08 03 13 waste ink other than those mentioned in 08 03 12 If this product is mixed with other wastes, this code may no longer apply. If mixed with other wastes, the appropriate code should be assigned. For further information, contact your local waste authority.

13.1.3 Hazardous

waste: No.

13.2 Product/ Packaging disposal:

Not available.

14 TRANSPORT INFORMATION

14.1 General:

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.2 UN-no:

Not available.

14.3 Transport hazard class(es)

14.3.1 RID/ADR:

Not available. 14.3.2 IMDG:

Not available.

14.3.3 IATA/ICAO: Not available.

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 EU Regulations

The product is not classified as dangerous according to Directive 1999/45/EC and its

- amendments. See sections 2 and 3 for details. 15.1.2 VOC content
 - <1%
- 15.1.3 Europe inventory
- All components are listed/exempted.

15.1.4 Industrial Use

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

15.2 Chemical safety assessment:

This product contains substances for which Chemical Safety Assessments are still required.

16 OTHER INFORMATION

Issued by: J. Allcock & Sons Ltd. SDS Issue No.: WEB01 Date: 06/2023

For any further information please contact J. Allcock & Sons Ltd.

